

# Mob Programming for Developers in Development

Mike Roberts Founder, CEO San Diego Code School



# How We Started

An experiment "to engage students"



# Not only are they learning, but they feel like they are learning.

- JEFF WINKLER, CEO ORIGIN CODE ACADEMY



### Making Adjustments



### Observations, Remote Tooling

mob timer You deserve a break! 11:59

12 Start Reset

	people		
x	Pumpkin Pie		
x	Turkey		
x	Green Bean Casserole		
x	Mashed Potatoes		
x	Ham		
x	Cranberry Sause		
x	Peas and Rice		
x	Mac 'n Cheese		
	Shuffle	Skip	

Nothing stands out as great

Pick what they are most comfortable with

**Requires Experimenting and Openness** 

Mob Timer (http://mobtimer.zoeetrope.com/)

Screen.so (https://screen.so)

Zoom (https://zoom.us)

Miro (https://miro.com/)


ew stream array with old and find difference 'Looking for new tracks (diff)');
];
<pre>m, function(index) {     stream[index];</pre>
<pre>stream[index];     = objectFindByKey(ractive.get('stream') 'id_unique',</pre>
<pre>_unique); k0ld !== undefined) { Ashley rack is already in the stream</pre>
<pre>.push(track); // this track is new, add it to diff</pre>
'There were ', diff.length, ' new tracks');

# Turning Up the Good

Not trying to make it fast, comfort

Longer times on the keyboard

Helping them realize Cooperation Works



#### QUESTIONS



#### SAN DIEGO CODE SCHOOL (visit us on the web https://sdcs.io) [sdcs]